

DIALYSIS SPECIALIST

TEST STRIPS Saving time and money



EASY TEST PROCEDURE

No need for dilution, mixing and adding chemicals

RAPID TEST

Most results are obtained in 1 minute or less



IMMEDIATELY **READY TO USE**

No new LOT control testing needed because of existing Certi-Chek™ Quality Control



EASY VISUAL DIFFERENTIATION

Package of each type of test strips has different color



EXCELLENT COLOR CONTRAST BETWEEN TEST VALUES

Reduces possibility of possible false readings comparing to titration method



Minimum 2 years from manufacturing date



ACCURATE AND REPRODUCIBLE

SPECIALLY DESIGNED DIALYSIS TEST STRIPS:

1

3

П

ł **5**s

Ultra-Low[™] Total Chlorine Test Strips are prepared to eliminate interferences with commonly used agents like DPD and detect very low levels of tested substance.

15s

K100-0117CT E-Z CHEK[®] pH test strips eliminate influence of citrates on color test results.





RPC

2

Ultra-Low™ Total Chlorine Test Strips

Designed and developed for testing very low levels of chlorine and chloramines in water. Test method is performed by using RPC's special non-DPD reagent, which eliminates the manganese interference.

- Test values: 0-0.01-0.02-0.05-0.1-0.2ppm
- Test time: 35-80 sec.
- Package: 100 test strips (each additionally foil wrapped)
- Item code: K100-0118



E-Z CHEK[®] Sensitive Total Chlorine & Chloramines Test Strips

For testing total chlorine and chloramine in water.

- Test values:
 0 0.1 0.5 4ppm
- Test time: 40 sec.
- Package: 100 test strips/bottle
- Item code: K100-0106



CO BA MADE IN US Use By: V802

Use By:

2020-04-34

RERPC 1-800-647-3873

COBA MADE IN US Use By:

2020-04-3

E-Z CHEK[®] Blood Leak Test strips

Easy and fast method to test dialysate for blood, if a dialyzer membrane leak is suspected during the hemodialysis procedure.

- Test values: 0.25 mg/dl
- Test time: 60±10 sec.
- Package: 25 test strips/btl
- Item code: K100-0114



Water hardness Test Strips

For semiquantitative analysis of water hardness.

- Test range: 0-5-10-17-50-120ppm
- Test time: 20 sec.
- Package: 50 test strips/bottle
- Item code: K100-0102



E-Z CHEK[®] 0-14 pH Test Strips

For testing pH of water.

- Test values: 0-14
- Test time: a few sec.
- Package: 100 test strips/btl
- Item code: K100-0104



E-Z CHEK[®] 4.5-10 pH Test Strips

For testing pH of water.

- Test values: 4.5-10
- Test time: a few sec.
- Package: 100 test strips/btl
- Item code: K100-0104.5



E-Z CHEK[®] 6.8-8.5 pH Test Strips


For testing the pH of bicarbonate / acetate dialysate and bicarbonate concentrate.

- Test range: 6.8-8.5
- Test time: a few seconds
- Package: 100 test strips/bottle
- Item code: K100-0117

E-Z CHEK® 6.8-8.5 pH Test Strips CT

For testing the pH of bicarbonate / citrate dialysate and bicarbonate concentrate. Designed to reduce impact of citrates on colors-precise results.

- Test range: 6.8-8.5
- Test time: a few seconds
- Package: 100 test strips/bottle
- Item code: K100-0117CT





Micro-X[®] Residual Test Strips

For testing residual level of peracetic acid /peroxide.

- Test values:
- 0 1 **3** 10 30 100ppm
- Test time: 5 sec.
- Package: 100 test strips/bottle
- Item code: K100-0100

Also, available Micro-X[®] Potency Test Strips (K100-0105) for checking

concentration of peracetic acid based disinfectants before disinfection.

Micro-X® Res Reorder For Use With Peracetic Acid Germicides 100 Test Strips Storage: Stora below +30 °C hadry place. Reseal the Onlainer Immediately after Immediately after I		-
Peracetic Acid Germicides 100 Test Strips Storage: Storage: Storage: Nore below +30 °C n a dry place. Reseal the Outbainer medicately after amoving a test arrow the provided the storage of the storage of the storage of the provided the storage of the storage of of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage	Micro-X® F	
Storage: Store below +30 °C it a dry place. Reseal the container immediately after emoving a test arp. Lucoust- Exp ort	Peracetic Acid Germicides	
tontainer immediately after temoving a test stip. L-020%	Storage: Store below +30 °C in a dry place.	
EXPO	tontainer immediately after removing a test strip.	
2013-10	EXP	00013

E-Z CHEK[®] Residual Chlorine Test Strips

For testing concentration of chlorine bleach remaining in the water used to rinse out dialysis machines, water distribution loops and containers.

- Test values:
 0 0.5 1 2 5ppm
- Test time: 5 sec.
 (qualitative test) / 30 sec. (quantitative test)
- Package: 100 test strips/bottle
- Item code: K100-0101B

Also, available E-Z CHEK[®] Potency Chlorine Test Strips (K100-0112) for checking concentration of diluted bleach solutions before disinfection.



RPC Accessories Durable and safe



Fistula Clamps

Provide consistent pressure without pinching the patients arm.

- Made from durable plastic with stainless springs
- Easy to clean: using warm water and detergent
- Disinfection: diluted bleach solution
- Available in Blue, White, Green, Red and Yellow
- For superior comfort and support, the ultra grip cover is also available to prevent slide off issues that occur with the use of gauze

the lumen of a flexible tube from 1mm to 8mm.

- Reusable, easy to use, lightweight, safe and effective
 Jaws are smooth (won't damage tubing) and remain aligned when tubing is occluded and released
- Easy to clean: using warm water and detergent

Tube Occluders

Used to constrict or occlude

Disinfection: diluted bleach solution

Accu-Read™ Reusable Blood Pressure cuffs

- Reusable latex-free, nylon cuffs
- Small, regular, large and thigh sizes for adults
- Compatible with dialysis machine automated modules
- Each cuff assembly is complete with a single tube bladder and a female luer-lock fitting
- Also, available in double tube versions for use with wall manometers and aneroid sphygmomanometers
- Easy to clean
- · Disinfection: diluted bleach solution

SoftCheck™ Disposable Blood Pressure Cuffs

- Latex-free cuffs
- Softer and more comfortable material with tapered and rounded edges
- Infant, child, small, regular, large and thigh sizes
- Color coded for easy selection
- Promote single patient cuff use

 minimize patient to patient cross-contamination
- Made in accordance with the American Heart Association's recommended guidelines for accuracy determination

CathGuard™ Catheter Protective Pocket

- CathGuard[™] is a unique, water-resistant, soft fabric pocket providing maximum patient comfort while protecting and storing the exterior lumen of the central line catheter between dialysis treatments
- CathGuard[™] helps immobilize the patient's catheter and may aid in reducing trauma to the catheter surgical insertion site. Also, keeps the catheter clean and helps prevent infection, safeguards the integrity of the catheter caps
- Very gentle to patient skin won't cause allergic reactions
- Easy to use: insert catheter, remove backing and attach to patient's skin

E-Z Draw® Sample Port

- Used in a dialysis machine for drawing dialysate test samples
- FDA-approved material. Germicide and heat disinfection compatible material
- A low-profile and uncomplicated design, using a low surface friction material, helps minimize the potential for bacterial growth
- Syringe withdraw through port

•/

Vapor Testers

RPC Accuro Vapor Detection Pump and Tubes provide a fast and accurate way to measure employee/patient exposure to all currently used dialysis chemicals including hydrogen peroxide, acetic acid, ozone and chlorine.

- Durable and Easy to use
- Effective for monitoring exposure risks of multiple chemicals
- Ability to monitor peak and time weighted average air quality levels
- Save time with instantaneous readings







RPC Accessories Clean and efficient

E-Z Foam™ & E-Z Gel™

Specially formulated safe biological foam/gel designed to penetrate biofilm and cling to the sides of drains and pipes to remove the organic material while blocking the production of noxious odors.

- Improves flow. Removes hard-to-reach organic material from drains and other sites
- Eliminates noxious drain odors. Fresh herbal-smelling non-toxic liquid
- Non-corrosive, safe for all types of plumbing and non-drain sites
- High performance degradation and removal of organic material in both aerobic and anaerobic environments
- Application: once a day for 5-7 consecutive days, followed by a twice a month maintenance application
- E-Z Foam[™] must be applied using E-Z Foamer[™] Professional Application Foamer
- E-Z Gel[™] is ready to use formula (Professional Application Sprayer is also available for easy and safe application)






Citra-Quik™ Dry Powder Citric Acid

- Dry Powder Citric acid allows mixing to the most effective concentration
- Flat packaging and dry powder save on storage space and shipping costs compared to pre-mixed solutions
- It can be used as well for removing corrosion from stainless steel parts or dried dialysate from plastic parts

Citra-Quik™ 50 Citric Acid

- For cleaning, decalcification and disinfection during hemodialysis machine chemical and chemical/heat disinfection cycles
- Easy to dissolve and mix, even in cold water



Personally & Professionally WE SERVE

WE CARE





Distributor:

D. Med Healthcare Germany AG Klaus Bungert Str. 3 40468 Dusseldorf, Germany Phone: +49 211 65 04 15 60 Fax: +49 211 65 04 15 61

sales@dmed-healthcare.com www.dmed-healthcare.com



Manufacturer:

RPC

1643 West Modern Court, 85705 Tucson, AZ USA Phone: +1 520 888 5551 Fax: +1 520 888 5557

www.rpc-rabrenco.com